Claybrook.

CLEAR GLASS SHOWER SCREEN

Full Frame Panel - Left or Right - With or without Towel Rail

Super stylish shower panel, with clear glass - fully framed.

The panel of 10mm thick clear glass is elegantly framed in chrome as standard, or any of our other 8 colour finish to create a bold statement, with an optional towel rail available to complete the look.



10	10mm Clear toughened glass		
CS	Includes ClearShield ECO-GLASS™		
/	Covered by Lifetime Guarantee		
P	Suitable for power showers		
Н	Screen height is 2000mm		
D	Non standard sizes available Restrictions apply		
500	Recommended minimum access: 500mm		
	Suitable for tray or wetroom		
ħ	Optional steady bar available (Ask for details)		

Dimension	S		
Model	А	LH Entry	RH Entry
DS402-800	764-776		
DS402-900	864-876		
DS402-1000	964-976		
DS402-1200	1164-1176		
DS402-1400	1364-1376		
		A	

Print colours may vary from original.

If you require any further assistance regarding specification data and technical advice please contact us at enquiries@claybrookstudio.co.uk



Claybrook.

CLEAR GLASS SHOWER SCREEN

Full Frame Panel - Left or Right - With or without Towel Rail

Coloured Finishes

Chrome finish supplied as standard.

Matt Black, Polished Black, Brushed Gold, Polished Gold, Brushed Nickel, Polished Nickel, Brushed Bronze, Polished Bronze available at a surcharge.

FINISHES:



















Chrome

Matt Black

Polished Black

Brushed Gold

Polishe Gold

Brushed Nickel

Polished Nickel

Brushed Bronze


Polished Bronze

Adjustable Wall Profile (Supplied as standard)

Offering up to a maximum 12mm of built-in adjustment (+/- 6mm if set at mid adjustment).

This option is fitter friendly and can compensate for out of true walls.





Towel Rails

An optional towel rail measuring 610mm is available in all coloured finishes, for an additional surcharge.

Print colours may vary from original.

If you require any further assistance regarding specification data and technical advice please contact us at enquiries@claybrookstudio.co.uk



Claybrook.

CLEAR GLASS SHOWER SCREEN

Full Frame Panel - Left or Right - With or without Towel Rail

Glass Options

10mm clear toughened glass supplied as standard. If you require Tinted Grey, Tinted Bronze, Clear Plus or Etched Glass these can be supplied to special order. Please contact our showroom for further information.


CLEARSHIELD ECO-GLASS™

Supplied as standard on all enclosures, doors and screens, this unique product is applied to the inside of the glass and works just like 'non-stick' cookware, acting as a protective barrier on the surface of the glass.

Key Features & Benefits

- Resists staining from hard water deposits Eco-friendly for a more hygienic environment
- \bullet Saves time and effort and is easier to clean \bullet Does not support the growth of bacteria
- Keeps your shower looking like new for longer

The surface of award-winning ClearShield ECO-GLASSTM is chemically non-reactive. The ClearShield protection bonds to glass and lime scale and other dirt will build up only half as fast.



Steady Bars

Combining style and function, our range of steady bars (supplied as standard) offer additional support for your shower screen product. Steady bars are available in alternative coloured finishes should you choose this option for your shower panel.

All panels 1000mm and above will be supplied with a steady bar as standard.

Guarantee

Covered by our associated suppliers Lifetime Guarantee. Registered at installation. (see downloads – Shower Screen – Warranty and Care Instructions for full details).

Additional information

Panel height is 2000mm as standard - Non-standard width and height sizes available (ask our showroom for more information and a bespoke prices)

Recommended minimum access: 500mm

Suitable for tray or wet room installations (ask our showroom staff for more information)

Shower Trays

A full range of shower trays are available, complete with 90mm hi-flow waste as standard. Please see our website for available shower tray options.

Print colours may vary from original.

If you require any further assistance regarding specification data and technical advice please contact us at enquiries@claybrookstudio.co.uk

