Claybrook.


HOCKLEY BROOK TAP

3 Hole Bath Mixer - Levers

IMAGE



DIMENSIONAL DRAWING



SPECIFICATION

- Concealed Body
- Ceramic Headparts 1/2" - 90°
- Screws/Plugs Included
- Flow rate at 3 bar (open exit): 18,4 l/min

If you require any further assistance regarding specification data and technical advice please contact us at enquiries@claybrookstudio.co.uk

13.25

Claybrook.


HOCKLEY BROOK TAP

3 Hole Bath Mixer - Levers

IMAGE




DIMENSIONAL DRAWING



SPECIFICATIONS

- *Ceramic Headparts 1/4 turn*
- *2 Holes Concealed Mixer With 1 Outlet*
- *Concealed Body*

FLOW DIAGRAM



If you require any further assistance regarding specification data and technical advice please contact us at enquiries@claybrookstudio.co.uk

13.25

Claybrook.


HOCKLEY BROOK TAP

3 Hole Bath Mixer - Levers

IMAGE




DIMENSIONAL DRAWING



SPECIFICATION

- Water-saving technology - AirEcoDrop®

FLOW DIAGRAM



If you require any further assistance regarding specification data and technical advice please contact us at enquiries@claybrookstudio.co.uk

1.3.25